AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing Of Claims

- 1. (currently amended) A composite adsorbent <u>for treatment or adsorption of gases</u> comprised of a shaped substrate having an adhesive on a portion of at least one side thereof, and an adsorbent that has been immobilized as a layer on said adhesive portion of said substrate.
- 2. (currently amended) A composite adsorbent as set forth in claim 1 wherein said adsorbent is selected from the group consisting of comprises activated carbon, impregnated activated carbons, silicas, natural and man-made zeolites, molecular sieves, clays, aluminas, or ion exchange resins.
- 3. (original) A composite adsorbent as set forth in claim 2 wherein said activated carbon is granular activated carbon.
- 4. (original) A composite adsorbent as set forth in claim 1 wherein said substrate is a pressure sensitive adhesive tape.
- 5. (currently amended) A composite adsorbent as set forth in claim 1 wherein said substrate is selected from the group consisting of acrylics, polycarbonates, polyimides, polyphenylene ether, polyphenylene sulfide, acrylonitrile-butadiene-styrene copolymers, polyesters, ethylene vinyl acetate, polyurethanes, polyamides, polyolefins, blends and derivatives thereofSCOTCH® MagicTM Tape 810.

3

Serial No. 10/807,375
Preliminary Amendment of June 4, 2004

- 6. (original) A composite adsorbent as set forth in claim 1 wherein said shaped substrate is in the shape of a spiral, disc, cylinder or otherwise folded so that said adsorbent contacts a side of said substrate that does not contain adsorbent.
- 7. (original) A composite adsorbent as set forth in claim 1 in combination with an air permeable housing.
- 8. (original) A composite adsorbent as set forth in claim 7 wherein said housing includes an impermeable unit having a screen, holes, open lattice structure, or permeable fabric portion.
- 9. (currently amended) A method for making a shaped composite adsorbent for treatment or adsorption of gases in an application comprising:
- a. sizing a substrate for said application having an adhesive on a portion of at least one side thereof;
 - b. coating said substrate adhesive portion with adsorbent;
- c. folding said coated portion so that said adsorbent contacts a side of said substrate that does not contain adsorbent.
- 10. (currently amended) A method for making a composite adsorbent as set forth in claim 9 wherein said <u>folding results with said</u> substrate <u>being folded into</u> the shape of a spiral, disc, cone or cylinder.

Please add new claims 11-17, as follows:

11. (new) A method for making a composite adsorbent as set forth in claim 9 wherein said coating substantially coats said substrate adhesive portion with adsorbent to provide a high particulate loading of said adsorbent.

Serial No. 10/807,375 Preliminary Amendment of June 4, 2004

- 12. (new) A method for making a composite adsorbent as set forth in claim 9 wherein said coating applies a mono-layer of adhesive onto said adsorbent.
- 13. (new) A method for making a composite adsorbent as set forth in claim 9 wherein said including one further step of combining said composite adsorbent with one or more of said composite adsorbents.
- 14. (new) A composite adsorbent as set forth in claim 1 wherein said adhesive is selected from the group consisting of acrylics, vinyl ethers, natural or synthetic rubber-based materials, poly (alpha-olefins), and silicones.
- 15. (new) A composite adsorbent as set forth in claim 1 wherein said adhesive is an integral part of a portion of said substrate.
- 16. (new) A composite adsorbent as set forth in claim 1 wherein said shaped substrate is used as a folded sheet, layers of sheets, ribbon, roll, coil, or disk.
- 17. (new) A composite adsorbent as set forth in claim 1 wherein said substrate is used combined with one or more additional of said substrates.